

تخصيص:

5 :□□□□□

1 □ * Pinhead □□□□□□

1 □ * M2.5

□ 1 * Pentalobe 0.8

□ 1 * Y000

□ 1 * 1.5 □□□□□

1 □□ 30 □□□□□ □□□□□□:

T6 □ PH000 □ T4 □ T9 □ PH2 □ PH1 □ T8 □ T6 □ T10 □ PH000

Pentalobe 0.8□ Pentalobe 2.0□ Triangle 2.3□ Pentalobe 1.2□ M1.5□ M3.5□ M2.5□ Tri-wing 3.0□

Tri-wing 2.0□ Slotted 4.0

M1.5 □ 2.3 □□□□□□ □ U2.3 □ 2.5 □□□□□□ □ 2.0 □□□□□□ □ 3.0 □□□□□□ □ Phillies 3.0 □ M4.0 □ M3.0

□ 1.5 □□□□□□□


الحزمة تشمل:

□ 1 * □□□□□	□ 1 * 126 □ □□□□□□□	□ 1 * □□□□□ □□□
□ 1 * □□□□□□ □□□□□□	□ 1 * □□□□□	□ 5 * □□□□□□□ □□□
□ 1 * □□□□□	□ 1 * □□□□□ □□□□□	□ 1 * □□□ □□□□
□ 30 * □□□□□ □□□□□□□	□ 1 * □□□□□ & amp□ Demagnetizer	□ 1 * 128 □□□□□□□□□ □□□□□
□ 1 * □□□□□□	□ 1 * □□□□□	

PRODUCT APPLICATION



PRODUCT SIZE








PRODUCT FEATURES



Anti-static wrist

- ★ Conducting electrostatic properties of wristbands and permanent
- ★ Slingshot line ends injection head with the PVC bei material



PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

