BST-3 Drahtabstreifer Schneidzange Kabelabstreifer und Kombination Schneidzangen Kohlenstoffstahl Elektronische Zangen

Produktbeschreibung:

Anwendbar zum Abschneiden von verschiedenen Arten von dünnen Draht, Leiterplatte, Kunststoff-Leefover-Material.
Schaltkastenverdrahtung von Industrieroboter.
IC gedruckte Board- und Computerverdrahtungen
Home Elektronische Geräte.
Radio und andere Telefon- und Telegrammverdrahtungen.
Elektrischer Stromkreis von Automobil.
Andere Präzisionsverdrahtungen für D.I.Y Artikel.

Technische Daten:

Modell: Schneidzange
Material: 75 # Stahl, Kohlenstoffstahl, Cr-V Stahl
Stil: Deutschland Typ, amerikanischer Typ, europäischer Typ vorhanden
Oberflächenbehandlung: Anti-Rost-Öl
Griffmaterial: PVC
Geschäftsmodell: OEM, ODM

PRODUCT DISPLAY

PRODUCT SIZE

Material:high quality alloy steel(60CR-V)

Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire Φ1.5mm

soft copper wire,aluminum wire Φ0.1-2.0mm



PRODUCT DETAILS

Front

Back side





User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH

PRODUCT PACKAGING

WEIGHT:91G

FRONT

75MM



BEST 倍思特 [钳子] PLIERS

使用说明
USER MANUAL

警告 WARNING

- 此型号并非绝缘工具，请关闭电源后使用。
- This model is not insulated tools, please use it when power off.

注意 CAUTION

- 为保证安全，请使用防护眼镜。
- To protect users' safe, please use protective glasses.
- 由于剪断物会飞出之故，请先确认身旁是否有人及有否容易损伤的物品，再进行作业。
- As the cut material will fly out, make sure no one and no easy damaged things beside you, then begin working.
- 在收纳时请务必使刀刃部成闭合状态并收藏在幼儿手拿不到之处。
- When stored, please assure the blade at the closed state and can not be touched by children.
- 请注意刀尖勿与硬物碰撞。
- Don't let the plier tip rub something hard.
- 请勿直接用手碰刀刃部。
- Please do not directly touch the blade part with your hand.
- 请保证此款产品使用在其所能承受力的范围之内切勿使用在钢丝材质等高硬度材料上。
- This model only can be used in the range of its capability and make sure don't cut high hardness material like steel wire etc.

产品描述 FEATURE

使用材质：严格精选优质合金钢 (60CR-V)
工艺：采用反复锻造工艺，精密机械加工后，表面经机磨加工后抛光
产品硬度：整体硬度HRC38-42
刃口硬度HRC56-62
剪切能力：HRC20度以下
硬铁线 Φ1.5mm
软铜线、铝线 Φ0.1-2.0mm

Material: high quality alloy steel (60CR-V)
Process: using repeated forging, the surface is polished after grinding and processing by precision machining.
Hardness: the overall hardness is HRC38-42
the blade hardness is HRC56-62
Shear capacity: HRC20 below
Hard wire Φ1.5mm
soft copper wire, aluminum wire Φ0.1-2.0mm

MADE IN CHINA

BACK