

BST-3 Drahtabstreifer Schneidzange Kabelabstreifer und Kombination Schneidzangen  
Kohlenstoffstahl Elektronische Zangen

### **Produktbeschreibung:**

Anwendbar zum Abschneiden von verschiedenen Arten von dünnen Draht, Leiterplatte, Kunststoff-  
Leefover-Material.

Schaltkastenverdrahtung von Industrieroboter.

IC gedruckte Board- und Computerverdrahtungen

Home Elektronische Geräte.

Radio und andere Telefon- und Telegrammverdrahtungen.

Elektrischer Stromkreis von Automobil.

Andere Präzisionsverdrahtungen für D.I.Y Artikel.

### **Technische Daten:**

Modell: Schneidzange

Material: 75 # Stahl, Kohlenstoffstahl, Cr-V Stahl

Stil: Deutschland Typ, amerikanischer Typ, europäischer Typ vorhanden

Oberflächenbehandlung: Anti-Rost-Öl

Griffmaterial: PVC

Geschäftsmodell: OEM, ODM

### PRODUCT DISPLAY

---



## PRODUCT SIZE

Material:high quality alloy steel(60CR-V)

Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire  $\Phi$ 1.5mm

soft copper wire,aluminum wire  $\Phi$ 0.1-2.0mm




## PRODUCT DETAILS



Front



Back side



### User manual

#### Warning


This model is not insulated tools. Please use it when power off.

#### Attention

- ① To protect user safe, please use protective glasses.
- ① As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- ① This product is not a dedicated pressure equipment.
- ① When stored, please assure the blade at the closed state and can not be touched by children.
- ① Do not let the plier tip rub something.
- ① Please do not directly touch the blade part with hand.
- ① Do not use in cutting hard materials and steel wire, etc.
- ① Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH

---



# PRODUCT PACKAGING


WEIGHT:91G



180MM

FRONT

75MM



BACK