

BST-3 separador de alambre cortador de alicates cortador de cables y alicates de corte de combinación acero al carbono Alicates electrónicos

Descripción del producto:

Aplicable cortar la diversa clase de alambre fino, placa de circuito, material plástico del leefover.

Cableado de la caja de control del robot industrial.

Circuitos integrados de circuitos impresos y de PC

Electrodomésticos Electrónicos.

Radio y otros cableados telefónicos y de telegramas.

Circuito Eléctrico del Automóvil.

Otros cables de precisión para artículos D.I.Y.

Presupuesto:

Modelo: Alicates de corte

Material: acero de 75 #, acero de carbón, acero de Cr-V

Estilo: Tipo de Alemania, tipo americano, tipo europeo disponible

Tratamiento superficial: aceite antioxidante

Material de la empuñadura: PVC

Modelo de negocio: OEM, ODM

PRODUCT DISPLAY



PRODUCT SIZE

Material:high quality alloy steel(60CR-V)


Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire Φ 1.5mm

soft copper wire,aluminum wire Φ 0.1-2.0mm




PRODUCT DETAILS



Front



Back side



User manual


Warning

This model is not insulated tools. Please use it when power off.

Attention

- ① To protect user safe, please use protective glasses.
- ① As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- ① This product is not a dedicated pressure equipment.
- ① When stored, please assure the blade at the closed state and can not be touched by children.
- ① Do not let the plier tip rub something.
- ① Please do not directly touch the blade part with hand.
- ① Do not use in cutting hard materials and steel wire, etc.
- ① Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING


WEIGHT:91G



180MM

FRONT

75MM



BACK