



5

- 1 *□□□□□□□□□□
- 1 * M2.5
- 1 *□□□□□□0.8
- 1 * Y000
- 1 *□□□□□□1.5

30-in-1

T6□PH000□T4□T9□PH2□PH1□T8□T6□T10□PH000
 Pentalobe 0.8□Pentalobe 2.0□Triangle 2.3□Pentalobe 1.2□M1.5□M3.5□M2.5□Tri-wing 3.0□Tri-wing 2.0□Slotted 4.0
 M1.5□□□□□2.3□U2.3□□□□□□3.0□□□□□□2.0□□□□□□2.5□□□□□□3.0□M4.0□M3.0□□□□□□1.5





□1 *□□□	□1 * 126□□□□	□1 *□□□□□□□□□□
□1 *□□□□□□□□□□□□	□1 *□□□□□□	□5 *□□□□□□
□1 *□□□□□	□1 *□□□□□□	□1 *□□□□□□□
□30 *□□□□□□□□□□	□1 *□□□□□□□& A□□□□	□1×128□□□□□□□□□□□□
□1 *□□	□1 *□□□	

PRODUCT APPLICATION



PRODUCT SIZE








PRODUCT FEATURES



Anti-static wrist

- ★ Conducting electrostatic properties of wristbands and permanent
- ★ Slingshot line ends injection head with the PVC bei material



PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

