



5 □□ □□□ □□□□ :

- 1 * Pinhead Phillips
- 1 * M2.5
- 1 * Pentalobe 0.8
- 1 * Y000
- 1 * □□□ 1.5

30-in-1 □□□ □□□□ □□ :

- T6, PH000, T4, T9, PH2, PH1, T8, T6, T10, PH000
 Pentalobe 0.8, Pentalobe 2.0, □□□ 2.3, Pentalobe 1.2, M1.5, M3.5, M2.5, Tri-wing 3.0, Tri-wing
 2.0, Slotted 4.0
 M1.5, □□□ 2.3, U2.3, □□ 3.0, □□ 2.0, □□ 2.5, □□□ 3.0, M4.0, M3.0, □□ 1.5




□ 1 * Burin	□ 1 * 126 □ □□	□ 1 * □□□ □□
□ 1 * □□□□□ □□	□ 1 * □□□□□	□ 5 * □□□ □□□□
□ 1 * □□□	□ 1 * □□ □	□ 1 * Pry □□
□ 30 * □□□ □□	□ 1 * □□ □ & □□□	□ 1 * 128 □□□□ □□□□□
□ 1 * □□	□ 1 * □□□	

PRODUCT APPLICATION



PRODUCT SIZE







PRODUCT FEATURES



Anti-static wrist

- ★ Conducting electrostatic properties of wristbands and permanent
- ★ Slingshot line ends injection head with the PVC bei material



PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

