

BEST-939 點鐘錶 / IC 點鐘錶



939 點鐘錶 IC 點鐘錶 點鐘錶  
點鐘錶 點鐘錶 IC 點鐘錶 點鐘錶。  
點鐘錶 點鐘錶 點鐘錶 點鐘錶 點鐘錶 IC 點鐘錶 點鐘錶 點鐘錶 點鐘錶。  
ICon Appointer 點鐘錶 點鐘錶 點鐘錶 點鐘錶 點鐘錶 IC 點鐘錶 點鐘錶。



100 % 點鐘錶 點鐘錶 點鐘錶  
點鐘錶 點鐘錶 點鐘錶  
點鐘錶 點鐘錶 (IC) 點鐘錶 點鐘錶 點鐘錶  
3 點鐘錶 點鐘錶 點鐘錶 點鐘錶, 點鐘錶, 點鐘錶 點鐘錶  
點鐘錶 : - 0.09lbs (40g) / medium size - 0.04lbs (18g) / small-0.01lbs (3g)  
點鐘錶 : 6 in (15.3cm)

## PRODUCT DISPLAY



# PRODUCT SIZE



## PRODUCT DETAILS


### Vacuum suction pen

Adsorption force: 40g 18g 3g




① Install a proper IC suction header on 939 suction pen.

② After installing the header, put the header on IC.



③ Press the button on the suction pen to discharge the air, then release the button to produce vacuum suction force to pick up IC.



④ Put the IC on appointed place, press the button, the vacuum pen discharges air to let the IC fall off.



⑤ The suction pen have three size header: small, medium and larger.

1. Larger size for 40G.
2. Medium size for 18G.
3. Small size for 3G.

PRODUCT PHOTOGRAPH





# PRODUCT PACKAGING

WEIGHT:24G

FRONT



270MM

BACK

