

□□ & □□
□□ □□ □□
□□ □□ : □□ □□
□□ : 8sets / carton
□□ □□
3 □ □□
Factory □□ □□ LCD □□ □□□ □□ □□ □□

□□ □□

1. □□ □□ □□, □□ □□□ □□ 400□□□□.
2. □□□ □□ □□ □□□, □□ □□ □□
3. □□□ □□ □□□ LCD□ □□□ □□□□ □□ □□□□ □□ □□□□.
4. □□□ □□
5. □□□□□ □□ □□□ □□□ □□□ 4 □□ □□ □□
6. □□□□ □□ □□□□ □□□□□ □□□□ □□□□
7. □□□□ □□□ □□□□ □□ □ □ □□□ □□ 80□□□ 100□□□ □□□□□□□ ...
8. □□□ □□ □□□□ □□□ □□□□ 2 □□ □□□□ □□ □□□□ □□ □ □□ □□
9. LCD □□ LED □□□ □□□□□ □□ □□

□□ :

□□□□ 110□ □□□ □□ □□□□□ □□□□. □□□□ □□□□ □□ □□ □□□□ □□□ □ □□□□.

□□

□□ □□
110V / 220V, 60Hz / 50Hz

□

250w

□□ □□

□□□□ □□ □□ (□□ □□□ ≤ 7 □□)

□□ □□

110mm * 190mm

□□:

150 * 260 * 120mm

□□

3kg

□□

□□ □□

PRODUCT DISPLAY



PRODUCT SIZE



PRODUCT DETAILS



PRODUCT FEATURES



Front



Behind



Monitor board



Internal structure



Model: BST-988

Power supply voltage: AC 100V-240V

Power: 250W

Features 1: Built-in vacuum pump, strong adsorption, high vacuum machine points one

Feature 2: high separation precision does not hurt the screen, built-in temperature control chip

Feature 3: Durable, easy to operate, safe and reliable

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

WEIGHT:3KG

