
```
□ & □
\square\square: 8sets / carton
3 🛮 🔠
Fatory [ ] [ ] LCD [ ] [ ] [ ] [ ] [ ]
1. \ \Box\Box\ \Box\Box\ \Box\Box\Box,\ \Box\Box\ \Box\Box\ \Box\Box\ 400\Box\Box\Box
2. 000 00 00 000, 00 00 00
3.\ \square\square\square\ \square\square\ \square\square\square\ LCD\square\ \square\square\square\ \square\square\square\square\ \square\square\square\ \square\square\ \square\square\ \square\square\ \square\square
4. \square \square \square \square \square
5. 00000 00 000 000 4 00 00 0
7. 0000 000 00000 00 0 0 0 000 00 80000 100000 0000000 ...
9. LCD [ LED [ ] [ ] [ ] [ ] [ ]
\square\square:
    110V / 220V, 60Hz / 50Hz
П
250w
0000\ 00\ 00\ (00\ 000\ \le 7\ 00)
110mm * 190mm
\square\square:
150 * 260 * 120mm
3kg
```









PRODUCT FEATURES





Front Behind





Monitor board Internal structure



Model: BST-988 Power supply voltage: AC 100V-240V Power: 250W

Features 1: Built-in vacuum pump, strong adsorption, high vacuum machine points one

Feature 2: high separation precision does not hurt the screen, built-in temperature control chip

Feature 3: Durable, easy to operate, safe and reliable



PRODUCT PACKAGING

