

Available for electricians

20A multimeter pen

Compatible with 99% multimeter, soft silicone cable, accurate measurement, superconducting probe



Freezing and high temperature resistant



Alloy Steel Needle




Anti -break design




High precision high sensitivity

99% multimeter available

Wide range of applications



Current voltage test



Motherboard Test



Electronic component measurement



Production demand



Line on-off test



Product development

Product parameters

Model	BST-020-JP	Wire core material	Pure copper
Name	Multimeter test leads	Product material	Stainless steel+Silicone+PC
Probe length	15mm	N.W	73g
Tip diameter	0.2mm	G.W	88g
Bus length	115 cm	Package Size	45x25x200mm

Wire Specifications

Conductor:

Insulating layer:


Covering layer:

Specification	18AWG	Thickness	0.6mm	Thickness	0.6mm
structure	168/0.08AS	Diameter	2.6±0.05mm	Diameter	3.8±0.1mm
Diameter	1.35MM	Material	Silicone	Material	Silicone
length of lay	25MM				

Tough and durable


Alloy steel hands, not easy to bend and not rust

Watch needle, durable, anti-oxidation
the diameter of the probe tip is only 0.2mm



Slim tip, precise measuring element

Fast and accurate data, suitable for electricians



Bold pure copper wire

High-quality materials cast good quality, copper wire is more accurate, double-layer protective rubber sleeve



BESTOOL Pen line

Thick wire diameter
good toughness

Ordinary pen line

Thin wire diameter
low toughness

High and low temperature resistant PVC wire

High-quality materials, anti-freezing and anti-burning suitable for various operating environments

Low temperature resistant to -50°C



Strong flexibility

Soft silicone wire material, anti-break design

The tail connection adopts soft plastic injection molding process which is soft and not easy to break, and has strong tensile strength



Compatible with 99% of multimeters in the market

New upgrade lotus plug

Firmer when plugging and unplugging, the sheath is dust-proof and insulated



Ergonomic Design

Non-slip handle


Insulating flame retardant material, comfortable grip, customized for electronic repair



safety level

2000V MAX/20A

Product dimensions



Product packaging

