

## **ture:**

- 2 in 1 digital display lead-free soldering station hot air
- Temperature control 100°C-480°C
- Brushless blower and soft airflow
- Factory price
- Accept small order and OEM order

## **Usage:**

- 1.Suitable for unsoldering multiple components,such as SOIC,CHIP,QFP,PLCC and BGA etc
- 2.Applicable for shrinking,heating,depainting,defrosting,preheating and rubber soldering etc.

## **Specification:**


Model 878D  
Rated Voltage AC110V/220V 50Hz/60Hz  
Power consumption 700W/40w  
Air type Brushless blower/soft airflow  
Temperature range 100°C-480°C  
Air flow volume 120L/min(max)  
inner package size(cm) 26\*16.5\*15  
Qty/carton 8units  
G.W/carton(kg) 22  
size of carton(cm) 58\*37\*34

# 2 in 1 digital display lead-free helical wind hot air soldering station

Appliance Repair



Board soldering



Phone Repair




Heat shrinkable tube



## PRODUCT SIZE



---








## PRODUCT FEATURES




|                                   |  |        |                   |          |  |
|-----------------------------------|--|--------|-------------------|----------|--|
| Brand:                            |   |        | Name:             |          | 2 in 1 digital heat gun rework station |
| Model:                            | BST-878D   |        | Rated voltage:    |          | AC 110/220V 50/60HZ                    |
| Rated power:                      | 700W/40W   |        | Airflow:          |          | 120L/min (Max)                         |
| Air gun temperature range:        |  |        | 100 ° C - 480 ° C |          |  |
| Soldering iron temperature range: |  |        | 200 ° C - 480 ° C |          |  |
| Weight(including packaging):      |  | 2.65KG | Size:             | Packing: | L265*W170*H145mm                       |
|                                   |  |        |                   | Machine: | L98*W140*H132mm                        |
| Accessories:                      | 878D, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter   |        |                   |          |  |
| Features:                         | 1. LED temperature display, temperature is accurate and stable, clearly visible  |        |                   |          |  |
|                                   | 2. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly. |        |                   |          |  |
|                                   | 3. High power, fast heating, anti-static, temperature adjustable   |        |                   |          |  |

Rapid temperature rise  
durable Intelligent, put back on the  
bracket to automatically cool down



Pure copper transformer





## PRODUCT PACKAGING



Package:  
265\*170\*145mm



BST-878D



Power cable



Soldering Iron frame



Soldering Iron

Starter



Wrench



Wind gun nozzle 5, 8, 10mm

