

## Features

1. The diagonal cutting pliers are made of Cr-V steel, can be used for heavy duty work.
2. High-frequency hardened precision cutting edges, hardness HRC54-62
3. Two color PVC handle with finger protectors
4. 4.5" size
5. Meets or exceeds CE standards

## Specification

Model:	BEST-4 diagonal cutting pliers
Material:	Cr-V steel + PVC handle coated
Heat treatment:	No acidification 42-50HRC for body High frequency 54-62HRC for blade
Surface treatment:	anti-rust oil
Size:	135mm
Package:	12pcs/box
N.W.	101g/pc
G.W.:	1.42kg/box

## Application

The diagonal cutting pliers are commonly used for cutting different kind of thin wire, lead wire, soft wire, circuit board, plastic leftover material, such as

- Control Box wiring of Industrial Robot.
- IC Printed Board and Computer wirings
- Home Electronic Appliances.
- Radio and other Telephone and Telegram wirings.
- Electric Circuit of Automobile.
- Other Precision wirings for D.I.Y Items.

## PRODUCT DISPLAY

---



## PRODUCT SIZE

Material:high quality alloy steel(60CR-V)

Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire  $\Phi 1.5\text{mm}$

soft copper wire,aluminum wire  $\Phi 0.1-2.0\text{mm}$




## PRODUCT DETAILS



Front



Back side



### User manual

#### ⚠ Warning

This model is not insulated tools. Please use it when power off.

#### ⚠ Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

## PRODUCT PHOTOGRAPH

---





## PRODUCT PACKAGING


WEIGHT:82G



FRONT

180MM

75MM



BACK