

## **Features**

- The temperature can be adjusted , digital display
- Double insulation construction.
- Ergonomic design for optimum handling.
- Lightweight and easy to use one handed.
- Stand upright for hands free using.
- Over-heating protection action.

## **Application**

- the hot air gun can soften the welding material. ;
- remove the self-adhesive stickers, old wallpaper and decorative;
- lifting rust or nuts and metal screws too tight;
- dissolved the frozen pipes, frozen locks or padlocks, etc.
- processing grease or replacement of the old mill, first softening;
- for refrigerator defrost;
- can shrink the PVC film as the protective layer of the packaging;
- can be used in addition to waxing or wax sledge;
- shrinkable polyethylene used connecting metal objects;

## **Specification**

Voltage:110V/220V/50Hz/60Hz

Power:2000W

Display mode:LCD display(jump once every 1°C)

Double-stage heat degree

The first gear:350°C

The second gear:600°C

Weight of machine:680g

Wind gun outlet diameter :2.5CM

PRODUCT DISPLAY

---



PRODUCT SIZE



## PRODUCT FEATURES



Hot air exit  
Can be attached to the nozzle



Two - stage thermostat switch



Temperature display  
Motor cooling port



Thermostat knob

PRODUCT PHOTOGRAPH








# PRODUCT PACKAGING

WEIGHT:850G



POSITIVE



BACK

---

风枪



---

侧面





---

风枪



---

配件



包装



# ABOUT US

Shenzhen Jinliyang Technology Co., Ltd is a professional large-scale manufacturer of Power bank and repairing tools for communication products.

With 20 years abundant experience in manufacturing and wholesale industry, we have set up subsidiary companies one by one in some cities in China and built up a complete sales network. Depending on quality products and the tenet of honesty and credit, we have established good long term cooperation with customers all over the world. Our brands "BEST" and "SUYOU" have been know abroad, and CE and Rohs certificates of our products are approval. "Sincerity oriented and credibility is the first" is our service tenet.

