

## Features

1. 採用 ESD PPS 材料
- 2: 表面電阻率  $1 \times 10 \Omega$  以下: 47j / m
- 3: 耐熱性、耐衝撃性、耐薬品性に優れています
- 4: 表面に PCB、各種部品、各種部品 Beaty

### 特徴

1. 表面電阻率  $1 \times 10 \Omega$  以下
2. 耐熱性、耐衝撃性、耐薬品性に優れています
3. 表面に PCB、各種部品、各種部品 Beaty
4. 表面に PCB、各種部品、各種部品 Beaty

### ESD

#### ESD 特性

1. 表面電阻率  $1 \times 10 \Omega$  以下
2. 耐熱性、耐衝撃性、耐薬品性に優れています
3. 表面に PCB、各種部品、各種部品 Beaty
4. 表面に PCB、各種部品、各種部品 Beaty
5. 表面に PCB、各種部品、各種部品 Beaty
6. 表面に PCB、各種部品、各種部品 Beaty

## Specification

品名:	表面電阻率 $1 \times 10 \Omega$ 以下 (ESD PPS) 材料
型番:	BST-259A
材質:	PPS + ESD PPS 材料
表面電阻率:	$1 \times 10 \Omega$ 以下
耐熱性:	260 °C
耐衝撃性:	200 ~ 240 °C
耐薬品性:	優れています
重量:	27.9g (17pcs)
寸法 (L * W * H):	129mm
寸法 (L * W * H):	204 * 163 * 45mm
寸法 (L * W * H):	52 * 42 * 34cm
重量:	18kg

Size



Picture

Side



Side



Top



Top



Local



Pack



## Details



Using high-precision equipment,  
laser type



4 screw fix head, robust and easy  
replacement



Head use high-strength, anti-  
-static PPS plastic

When two tip are folded,  
smooth seamless

# ABOUT US

Shenzhen Jinliyang Technology Co., Ltd is a professional large-scale manufacturer of Power bank and repairing tools for communication products.

With 20 years abundant experience in manufacturing and wholesale industry, we have set up subsidiary companies one by one in some cities in China and built up a complete sales network. Depending on quality products and the tenet of honesty and credit, we have established good long term cooperation with customers all over the world. Our brands "BEST" and "SUYOU" have been know abroad, and CE and Rohs certificates of our products are approval.

"Sincerity oriented and credibility is the first" is our service tenet.

