5 6 □□ □□□□□ □□□□□ □□□□-V □□□□□□□□□□ □□□□□□□□□ □□□□□□ □□□□□ □□□ □□□□ □□□□□□□ □□□□□

□□□□□□ □□□
□□ # 60 □□ □□□□□ □□□□-V □□□□□□□ □□□□□□□ □□□□□ □□□ □□□□□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□ □□□□□□
□□□ □□□□□□ □□□□□□ □□□□□□□ □□□□□□□□□□□ □□□□□□ □□ □□□□□□ □□□□ □□□□□ .□□□□ □□□ □□□□□□□ □□□□□
.□□□□□

□□□□□

□□□□□
□□□□ □□ □□□
□□□□
□□□□□ □□□□□□□□□□ □□□□□□ # 60
□□□□□□ □□□
□□□ □□□□□□□
□□□□□□□ □□□□□□□□
□□□□□ □□□□□ --□□□□□□□
□□□□□□ □□ □□□□□□□
□□□□□□□ □□
□□□□
□□□□□□ □□□□□□ □□□□ □□ □□□□□ □□□□ □□□□□□ □□□□
□□□□
□□□□□□ □□□□□□ + □□□□□ □□□□ □□□ □□□□
□□□□□ □□□□□
□□□□ □□□□□□ □□□□□□□ □ □□□□□□ □□□□□ □□□□□ □□□□ □□□ □□□□□ □□□□
□□□□□□ □□□□□
□□□□□ □□□□□□ □□ □□□□□□□ □□□

:□ □□□□□□□

.□□□□□□ □□□□□□ □□□□□□□□□ □□□□□□□ □□□□□ □□□□□□ □□□□□□□ □□ □□□□□ □□□ □□□ □□□ □□□□□
.□□□□□□□ □□□□□□□ □□ □□□□□□□ □□□□ □□□□□□
□□□□□□□ □□□□□□□□□ □ □□□□□□ □□□□□□□□ □□□

.□□□□□□□□□□□ □□□□□□□ □□□□□□□□

.□□□□□□□ □□□□□ □ □□□□□□ □□ □□□□□□ □□□□□
.□□□□□□□□ □□□□□□□□□□ □□□□□□□
□ □□□□□ □□□□□□ □□ □□□□□ D.I.Y □□□□□□.

PRODUCT DISPLAY

PRODUCT SIZE

Material:high quality alloy steel(60CR-V)

Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire Φ1.5mm

soft copper wire,aluminum wire Φ0.1-2.0mm



PRODUCT DETAILS

Front

Back side





User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH

PRODUCT PACKAGING

WEIGHT:76G

FRONT

75MM

BACK