

Estimate the following:

وصف المنتج


PRODUCT DISPLAY



PRODUCT SIZE



PRODUCT DETAILS





DC POWER SUPPLY BST-305D

0.000 00.01

CURRENT

VOLTAGE

4-digit display high precision

Current output: 0-5V

Voltage output: 0-30V

8 USB ports

It can simultaneously load up to 7A current shunt output, data upgrade, and test.



Please keep the vent unobstructed and at least 5 cm away from the shelter.
请保持散热口畅通，与遮挡物间至少有5厘米距离！

离！



110V/220V
SWITCH




110V and 220V switching

Portable Handle



PRODUCT PHOTOGRAPH



Specifications

model	PS-305D	output voltage	0-30V
Body weight	4.75KG	output current	0-5.0A
Dimensions	125MM*223MM*145MM	Storage Humidity	<80%
Power	1-50W	Voltage accuracy	0.1V
Input Voltage	AC 220/110V 50/60HZ	Current accuracy	10MA
Storage Enviromment	-20°C-80°C	Working Enviromment	-10°C-40°C

1. العرض الرقمي LED.
2. عالية الدقة قابل للتعديل العاصمة امدادات الطاقة ؛
3. دقة الدوائر الإلكترونية لتحقيق أداء مستقر ؛
4. خلية بطارية الهاتف شحن سريع ، ليس من السهل أن تلف بطارية ليثيوم ؛
6. الدائرة الحماية ، ونظام الاسترداد التلقائي Short.
8. معامل التمدد من دائرة القصر والسيطرة الحالية في الوقت المناسب ؛