

وصف المنتج:

.000000 000 000 0000 .1

□□□□ □□ 2.25

3 `ideal` objects are returned.

□□□ □□□□□ □□□□□□ □□□ .4

□□□□

.000000 0000 0 00000 000000 000000 00000 00 00 00000000 0000 0000 .1

[illegible]

.00000 00000 0000 000 .3

تخصیص:

00 :000000-V 0000 0000000000 00000 0 00000 00

1.2 0.8 :□□□□ □□□□□□□□ □□□□ --□□□□

□□□□ □□□□□□ □□□□□: t2 t3 t4 t5 t6 t7 t8 t9 t10 t15

Y 2.0 : □□□□ □□□□□□□□

3.0 2.0 1.2 1.0 : □□□□ □□□□□□ □□□□□□

3.0 2.0 1.5 1.0 : □□□□ □□□□□□□□ □□□

0.8 : □□□□ □□□□□□□□ □□□□

116 :□□□□□□ □□□□□g

الشحنة تحتوي:

□□□□□□ □□□ 1 □□ 25 × 1

PRODUCT DETAILS



Bits:33mm

Total length:110mm



High hardness, strong magnetism

Material: Aluminum
You feel comfortable and
convenient, non slip design

Built in pulley, quick knob

2 small ears are
placed in the slot at the end of the batch head to enhance the stability.

PRODUCT FEATURES



PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

