في 1 الهواء الساخن الصمام عرض محطة بغا BEST-898D 2

وصف المنتج

1. جهاز محمول محمول مريحة وشاشة LED الرقمية.
2. السيطرة على الحواسيب الصغيرة ، التسخين السريع.
3. ضبط دوران تدفق الهواء ودرجة الحرارة.
4. ارجع إلى التعليمات المرفقة مع أجزاء الاستبدال للفوهات الثلاث (الكبيرة والمتوسطة والصغيرة).
5. إذا كانت قيمة المقاومة غير صحيحة ، سيتم استبدال الجزء.
6. عندما تكون درجة الحرارة أقل من 70 درجة مئوية ، يمكن إيقاف الدوران تلقائيًا.
7. نظام ذكي ، والتنبيه التلقائي ، وكشف الخطأ.
8. هذا المنتج لديه حماية من نوع ESD.
9. جودة عالية ومقاومة طويلة الأمد
10. الغلاف الخارجي مصنوع من مادة السبائك و تبدو جيدة.
11. آمن لحام QFP ، PLCC ، BGA وغيرها من المكونات الحساسة للحرارة.
12. الكشف الذكي وظيفة الهواء البارد.
13. تساعد الخطوط الخضراء وحرارة جسم السيليكون عالية الجودة على إطالة مدة الخدمة وتوفير الكهرباء.

يتضمن التغليف

898D □ 5 □ 8 □ 10MM □ □□□□□□ □□□□□□ □□□□□ □ □□□□□□□□□ □□□□ □ □□□□ □□□□□ □ □□□□□□ □□□□□□ □□□□ □□□□□ □ □□□ □ □□□□ □□□□□

2 in 1 digital display lead-free helical wind hot air soldering station



PRODUCT SIZE

PRODUCT DETAILS

Air gun radiator hole
Air outlet
Master switch
INPUTVOLTAGE:220V/AC
RATED CURRENT:6A
MADE IN CHINA
Fuse

PRODUCT FEATURES

Brand:	BEST		Name:		2 in 1 digital heat gun rework station
Model:	BST-898D		Rated voltage:		AC 110/220V 50/60HZ
Rated power:	700W		Airflow:		120L/min (Max)
Air gun temperature range:			100 ° C - 450 ° C		
Soldering iron temperature range:			200 ° C - 480 ° C		
Weight(including packaging):		2.75KG	Size:	Packing:	L265*W170*H145mm
				Machine:	L98*W140*H132mm
Accessories:	898D, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter				
Features:	1. LED air gun temperature display and soldering iron temperature display, temperature is accurate and stable, clearly visible				
	2. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly.				
	3. High power, fast heating, anti-static, temperature adjustable				

BEST 倍思特
898D
SMD REWORK STATION
SOLDERING STATION
300
300
AIR
ENTER
Two LED screen displays
The temperature is accurate and stable,
clearly visible


Rapid temperature rise
durable Intelligent, put back on the
bracket to automatically cool down
100℃~450℃


Pure copper transformer

PRODUCT PACKAGING

Package:
265*170*145mm

BST-898D

Power cable

Soldering Iron frame

Soldering Iron

Starter

Wrench

Wind gun nozzle 5, 8, 10mm