

## تلمح:

1. 2. 100 c-480 ° c  
OEM

## الاستعمال:

1. unsoldering SOIC CHIP QFP PLCC BGA  
2. depainting preheating

## تخصيص:


878 D  
AC110V / 220V 50Hz / 60HZ  
700 W / 40W  
100 c-480 ° c  
120 L / min (max)  
15 \* 16.5 \* 26 (mm)  
8 / units  
G.W / 22 (kg)  
34 \* 37 \* 58 (mm)

# 2 in 1 digital display lead-free helical wind hot air soldering station

Appliance Repair



Board soldering



Phone Repair




Heat shrinkable tube



# PRODUCT SIZE



## PRODUCT DETAILS





Air gun radiator hole

Air outlet

Master switch

Fuse

## PRODUCT FEATURES




|                                   |  |                |  |                  |
|-----------------------------------|--|----------------|--|------------------|
| Brand:                            |   | Name:          | 2 in 1 digital heat gun rework station |                  |
| Model:                            | BST-878D   | Rated voltage: | AC 110/220V 50/60HZ                    |                  |
| Rated power:                      | 700W/40W   | Airflow:       | 120L/min (Max)                         |                  |
| Air gun temperature range:        | 100 ° C - 480 ° C  |                |  |                  |
| Soldering iron temperature range: | 200 ° C - 480 ° C  |                |  |                  |
| Weight(including packaging):      | 2.65KG   | Size:          | Packing:                               | L265*W170*H145mm |
|                                   |  |                | Machine:                               | L98*W140*H132mm  |
| Accessories:                      | 878D, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter   |                |  |                  |
| Features:                         | 1. LED temperature display, temperature is accurate and stable, clearly visible  |                |  |                  |
|                                   | 2. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly. |                |  |                  |
|                                   | 3. High power, fast heating, anti-static, temperature adjustable   |                |  |                  |

Rapid temperature rise  
durable Intelligent, put back on the  
bracket to automatically cool down



Pure copper transformer



# PRODUCT PACKAGING



Package:  
265\*170\*145mm



BST-878D



Power cable



Soldering Iron frame



Soldering Iron

Starter 

Wrench 

  
Wind gun nozzle 5, 8, 10mm