□□□□□□□□

- □□□□□□□ □□□□□□ □□□□□ □□□□□□□□□ □□□□□□ □□□□□□ □□□ □□□□□□□□ □□□□□□
- □□ □□□□□ □□□□□ □□□□□ □□□□□□ □□□□□□ □□□□□□□□ □□□□□□ □□□□□□□□□□□□ □□□□□□□□ □□□□□□ □□□ □□□ □□□□□□ □□□□□□ □□□□.
- □□□□□□ □□ □□□□□□□□ □□ □□□□□□□ □□□□□ □□□□□□□□ □□□□□ □□□□□□ □□□□□□□ □□□□□□□□ □□□□□□ □□□□□□ □□□□ □□□□□□□□ □□□□□□ □□□□□□ □□□□□ □□□□□ □□□□□

□□□□□□

□□□□:	□□□□□□ □□□□□□ □□□□
□□□□□□:	BST-1042
□□□□□:	42 #□□□□□ □□ + □□□□□□ □□□□□□□□□
□□□□□□□□□ □□□□□□□□□□:	□□□□□ □□□□□□□ □□□□□
□□□□□□□□ □□□□□□ □□□□□□:	□2-1□252□□
□□□□□□ :	□□□□□ □□□□□□□
N.W.	120□ / PC
□□□□□□□□	□□□□□ 10 □□□□□□ □□□□□□ + □□□□□ □□□□□□ /
G.W.	2.6□□□□ / □□□

□□□□□□□□

□□□□□□□ □□□□□□□ □□□□□□□□□□ □□□□□□□□□ □□□□□□ □□□□□□□ □□□□□□□□ □□ □□□□ □□□□□□ □□□□□ □□□□ □□□□□□.
□□□□□□□□ □□□□□□□□ □□ □□□□□□□□ □□□□□ □□□□□□□.
I□ C □□□□□□□□ □□□□□□□□□□ □□□□□ □□□□□□□
□□□□□□□□□□□□ □□□□□□□□ □□□□□□□□□.
□□□□□□□□ □□□□□□ □ □□□□□□□ □□ □□□□□□□ □□□□□□.
□□□□□□□□□ □□□□□□□□□□□□ □□□□□□□□.
□ □□□□□□ □□□□□□□ □□ □□□□□□ D.I.Y □□□□□□□.

PRODUCT DISPLAY

PRODUCT SIZE

User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH

PRODUCT PACKAGING

WEIGHT:147G

215MM

FRONT

95MM

MODEL	STRIPPING WIRE SIZE						
BST-1041	AWG mm²	18 0.9	16 1.25	14 2.0	12 3.5	10 5.5	
BST-1042	AWG mm²	26/24 0.2	22 0.35	20 0.5	18 0.9	16 1.25	
BST-1043	AWG mm²	30 0.05	28 0.32	26 0.40	24 0.60	22 0.65	
BST-5021	AWG mm²	12/10 2.6	14/12 2.0	16/14 1.6	18/16 1.3	20/18 1.0	22/20 0.8	22 0.6
BST-5022	AWG mm²		16/14 1.6	18/16 1.3	20/18 1.0	22/20 0.8	24/22 0.6	24 0.5
BST-5023	AWG mm²		22/20 0.8	24/22 0.6	26/24 0.5	28/26 0.4	30/28 0.32	30 0.25

CUTTER & STRIPPER

MODEL	DESCRIPTION	SIZE OF BLADE
BST-107F1	ELECTRONICS CUTTER FOR LEAD & SOFT MATERIAL USE. MADE OF CARBON STEEL WITH BLACK-OXIDE FINISH.	
BST-109		

BACK