OEM □□□□□ □□□□ □□□□□□ □□□□□□ □□□□ □□□□□ □□□□□ □□□□□□□□ □□□□□□ □□□□□□ □□□□ □□□□□□□□□□□
□□□□ 5 □□□□□ □□□□□

وصف المنتج:

□□□□□□ :□□□□□□
□□□□□ □□□□ :□□□□□□
50 :□□□□□ □□□□□ □□□□□□ □□□□□pcs
OEM □□□ :□□□□□□□
□□□□□ □□□□: PayPal□ T / T□ □□□□□□□ □□□□ □□□□□□□ □□□□□□
□□□□□□ □□□ □□□□□ □□□□□□ □□□□□□ □□□□□ 3 ~ 1 :□□□□ □□□□□□□ □□□
□□□ :□□□□□
□□□□□ □□□□□□□□□□ □□□□□ □□□□ □□□ :□□□□□□□

PRODUCT DISPLAY

PRODUCT SIZE

PRODUCT DETAILS

Front

Behind



User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH

PRODUCT PACKAGING

WEIGHT:80G

FRONT



MODEL	STRIPPING WIRE SIZE						
BST-1041	AWG	18	16	14	12	10	
	mm²	0.9	1.25	2.0	3.5	5.5	
BST-1042	AWG	26/24	22	20	18	16	
	mm²	0.2	0.35	0.5	0.9	1.25	
BST-1043	AWG	30	28	26	24	22	
	mm²	0.25	0.32	0.40	0.60	0.65	
BST-5021	AWG	12/10	14/12	16/14	18/16	20/18	22/20
	mm²	2.6	2.0	1.6	1.3	1.0	0.8
BST-5022	AWG		16/14	18/16	20/18	22/20	24/22
	mm²		1.6	1.3	1.0	0.8	0.6
BST-5023	AWG		22/20	24/22	26/24	28/26	30/28
	mm²		0.8	0.6	0.5	0.4	0.32

CUTTER & STRIPPER

MODEL	DESCRIPTION	SIZE OF BLADE
BST-107F1	ELECTRONICS CUTTER FOR LEAD & SOFT MATERIAL USE MADE OF CARBON STEEL WITH BLACK-OXIDE FINISH	
BST-109		

BACK