

□□□□□□□□ □□□ □□ □□□□□□ □□□□ □□□□□□ :□□□□□□

225-□□ □□ □□ :□□□□□□□□

□□□□ □□□□ :□□□□□□□□

□□□□ □□□□ □□□□□□□□□□□□ □□ □□□□ □□□□□□ □□□□ □□□□□□ :□□□□□□□□

□□□□ 28 :□□□□□□□□

## Aluminum box packaging

Aluminium box packaging • Convenient and portable

Containing Rosin

- ✓ No acid
- ✓ No odor
- ✓ Low smoke
- ✓ High purity



# One touch welding

Rosin type paste flux

Suitable for mobile phone motherboard repair welding  
desoldering welding aid  
无腐蚀性 无阻值 防氧化 特殊化学剂焊膏



SOLDER FLUX

# Special chemical agent solder paste



One touch welding rosin type

BST-225



# Product Parameters




## Product Specifications

Product Name	One touch welding rosin type paste flux
Product Model	BST-225
Product appearance	Yellowish transparent tape-like solid
Product Type	Halogen-free type
Storage environment	Shade for 12 months
Aluminum box size	φ46*20mm
Net Weight	20g
Gross weight	28g



# We carefully do every product

Meet different soldering needs



CPU tin planting



BGA welding



Circuit board



PCB welding



Digital Maintenance



Home appliance maintenance

# Packing size



Package Dimension



# Product Size



## Product Dimension

