_____ ABS

00 85 :0000000 00000 0000 73 :000 0000 0000 88 :0000000



20A spring telescopic multimeter probe

Compatible with 99% of multimeters Soft silicone wire Accurate measurement Superconducting probe



Product Parameters

Whole box weight: 7.8kg

Full box size 42*29*25cm

Model	BST-951-JP	Core Material	Pure copper
Name	Spring type multimeter probe	Product Material	Pure copper+silicone+ABS
Probe Length	10mm	Net Weight	73g
Tip Diameter	0.05mm	Gross Weight	88g
Length	85 cm	Packaging Size	45x25x200mm

Test line parameters


Copper core conductor		insulation		Outer coat	
Specifications	18AWG	Average thickness	0.6mm	Average thickness	0.6mm
structure	168/0.08AS	Wire diameter texture of material	2.6±0.05mm silicone	Wire diameter	3.8±0.1mm silicone
Outer diameter of conductor	1.35MM				
Twist distance	25MM				

Durable and tough

Pure copper pointer Not easy to bend or rust

High-quality needles are durable and anti-oxidative





High/low temperature resistant soft silicone wire

High-quality materials, anti-freezing and anti-burning, suitable for various operating environments

Low temperature can withstand -50 °C





Newly upgraded lotus plug

Firmer when plugging and unplugging, the sheath is dust-proof and insulated




Strong flexibility

Soft silicone wire material Anti breakage design

The tail connection adopts soft plastic injection molding process, which is soft and not easy to break, and has strong tensile strength





Ergonomic Design

Anti slip handle



security level

2000V MAX/20A

99% multimeter available

Wide applicability















Bold pure copper wire

High-quality materials cast good quality, copper wire is more accurate, double-layer protective rubber sleeve



Product dimensions



Total length:85cm

Product packaging

