



### 5

- 1 \* Pinhead Phillips
- 1 \* M2.5
- 1 \* Pentalobe 0.8
- 1 \* Y000
- 1 \* Phillips 1.5

### 30

- 1 \* PH000 □ T4 □ T9 □ PH2 □ PH1 □ T8 □ T6 □ T10 □ PH000
- Pentalobe 0.8 □ Pentalobe 2.0 □ Triangle 2.3 □ Pentalobe 1.2 □ M1.5 □ M3.5 □ M2.5 □ Tri-wing 3.0 □ Tri-wing 2.0 □ Slotted 4.0
- M1.5 □ U2.3 □ Slotted 3.0 □ Slotted 2.0 □ Slotted 2.5 □ Phillips 3.0 □ M4.0 □ M3.0 □ Slotted 1.5




□1 * Burin	□1 * 126	□1 * □□□□
□1 * □□□□	□1 * □□	□5 * □□□□
□1 * □□	□1 * □□□□	□1 * Pry □□
□30 * □□□□□	□1 * Magnetizer & □□□□	□1 * 128 □□□□
□1 * □□	□1 * □	

# PRODUCT APPLICATION

---



# PRODUCT SIZE







## PRODUCT FEATURES



### Anti-static wrist

- ★ Conducting electrostatic properties of wristbands and permanent
- ★ Slingshot line ends injection head with the PVC bei material





# PRODUCT PHOTOGRAPH



# PRODUCT PACKAGING

