



□□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□
 □□□□□□□□□□□□□□□□6150□□□□□□HRC□52-56□□



□□□□□□BEST-21068□□□□□□□□
 □□□□Cr-V□□6150□□+ ABS□□□□□
 □□□□□□□□□□□□□□□□□□
 □□□□□
 □□□□HRC52-56°
 □□□□□□

□Torx□T4□T5□T7□T8□T10□T15□T20
 □□□□□□□□1.0,1.5,2.0,2.5,3.0,3.5,4
 □TRI-WING□1.5,2.0
 □□□△□2.0,2.3
 □□□□□1.5,2.0
 □□□□□1.0
 □Pozi□PZ0□PZ1
 □M□2.5,3.0,3.5,4.0,4.5,5.0,5.5
 □H□2.3
 □□□1.3,1.5,2.0,2.5,3.0,4.0
 □□□□□□PH00□PH0□PH1□PH2
 □□□□1 *□□□□□1 *□□□□
 □□□□□□□□
 □□□□□□157 * 166mm
 □G.W.:0.3kg /□

PRODUCT DETAILS



PRODUCT SIZE



PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

WEIGHT:323G

157MM



FRONT

166MM



BACK