

BEST-898D 2x1 LED BGA

說明

1. LED 封裝
2. 封裝尺寸
3. 封裝材料
4. 封裝溫度
5. 封裝速度
6. 封裝溫度 70°C
7. 封裝速度
8. ESD 保護
9. 封裝材料
10. 封裝溫度
11. QFP, PLCC, BGA 封裝
12. 封裝材料
13. 封裝溫度

說明


898D 5, 8, 10mm 封裝

2 in 1 digital display lead-free helical wind hot air soldering station

Appliance Repair



Board soldering



Phone Repair



Heat shrinkable tube



PRODUCT SIZE



PRODUCT DETAILS





Air gun radiator hole


Air outlet

Master switch

Fuse

PRODUCT FEATURES



Brand:		Name:	2 in 1 digital heat gun rework station	
Model:	BST-898D	Rated voltage:	AC 110/220V 50/60HZ	
Rated power:	700W	Airflow:	120L/min (Max)	
Air gun temperature range:		100 ° C - 450 ° C		
Soldering iron temperature range:		200 ° C - 480 ° C		
Weight(including packaging):	2.75KG	Size:	Packing:	L265*W170*H145mm
			Machine:	L98*W140*H132mm
Accessories:	898D, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter			
Features:	1. LED air gun temperature display and soldering iron temperature display, temperature is accurate and stable, clearly visible			
	2. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly.			
	3. High power, fast heating, anti-static, temperature adjustable			




Two LED screen displays

The temperature is accurate and stable,
clearly visible

Rapid temperature rise
durable Intelligent, put back on the
bracket to automatically cool down



Pure copper transformer





PRODUCT PACKAGING

 <p>Package: 265*170*145mm</p>	 <p>BST-898D</p>	 <p>Power cable</p>
 <p>Soldering Iron frame</p>	 <p>Soldering Iron</p>	<p>Starter </p> <p>Wrench </p> <p>Wind gun nozzle 5, 8, 10mm </p>