

□□

1.□□□□□□□□□□□□□□□□

2.□□□□□□□□□□□□□□□□

3.□□□□□□□□□□PTC□

4.□□□□□□□□□□□□□□□□□□

5.□□□□□□□□□□100v-240v□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□

□□□□□□□

□□□□□□□

□□□□□□□□□

□□□

□□□□□□□

□□□□

□□□BST-B-E

Volatge□110V-240V

□□□20W

□□□□2-3□□

□□□□2.5□□

□□□□6.8mm-7.5mm

□□□□□□3-5g / min

□□□□180°C-200°C

N.G.:144g/pcs

□□□□24□/□

G.W.:4.5kg/box

PRODUCT APPLICATION



PRODUCT SIZE




PRODUCT DETAILS



PRODUCT FEATURES





Name: Hot melt glue gun Model strips: 7mm Muzzle: Alloy mouth

Voltage: 110V/220V Model: BST-B-E Weight: 294.3G

Power: 20W Frequency: 50/60HZ

Feature1: Voltage limit is not built-in safety fuse,safe to use.

feature2: Ceramic PTC thermistor element heating speed,automatic thermostat,save energy

Feature3: Avoid pour glue and leak glue; glue gun tail retrofitting thermal insulation, glue gun and longer life

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

WEIGHT:295G



FRONT



BACK