

[BST-113B 16pcs](#)



1. 200mm * 150mm * 60mm

2. 200mm * 150mm * 60mm

3. 50mm * 50mm * 50mm

4. 200mm * 150mm * 60mm

3. 200mm * 150mm * 60mm

4. 200mm * 150mm * 60mm

5. 200mm * 150mm * 60mm; 200mm * 150mm * 60mm

6. 200mm * 150mm * 60mm

16pcs PC

DIY



Cr-V + PVC

299mm * 155mm * 60mm

0.98kg /

1pcs * 1041

1pcs * 107F

5 * 8800C

1 * 50g

1PCS *

1

1pcs *

2 *

2 *

1 *

PRODUCT DISPLAY



PRODUCT SIZE



2.0



PH000




PH0



T8



1.2





⚠ Warning

- ▶ This model is not insulated tools. Please use it when power off.

⚠ Attention


- ▶ To protect user safe, please use protective glasses.
- ▶ As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- ▶ This product is not a dedicated pressure equipment.
- ▶ When stored, please assure the blade at the closed state and can not be touched by children.
- ▶ Do not let the plier tip rub something.
- ▶ Please do not directly touch the blade part with hand.
- ▶ Do not use in cutting hard materials and steel wire, etc.
- ▶ Do not use the pliers above its cutting capability and coarse wire.





user manual:

- ▶ 1.Power socket should be used with a reliable grounding device. And before using, should check the voltage specification.
- ▶ 2.Soldering tip should be inserted into the bottom of the heating device.
- ▶ 3.For the first time used, the heating element maybe have some smoke which is normal phenomenon. After a few minites,the smoke will disperse.
- ▶ 4.This product is prohibited used in wet environment.
- ▶ 5.In the working state, forbid dismount electric partes and other parts.
- ▶ 6.Please use natural Thermal Dissipated soldering support.



PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

WEIGHT:973.4G

360MM



155MM
60MM

288MM

