#### 


1	
2	
3	
4	
5	
6	000000000000000/ PCB0000000000
7	

#### 


□45m * 30 * 0.7cm

### HIGH TEMPERATURE RESISTANT SILICA GEL

## **WORKING PAD**









Soft silicone




Magnet adsorption



anti-static

## Product Usage



MATERIAL	Soft silicone
BRAND	BESTOOL
PRODUCT NAME	Working Pad
SIZE	450mm X 300mm
TYPE	Magnetic adsorption Heat resistance anti-static

#### **▼**CHARACTERISTICS

This product is used for IC products repairing (suitable for some models). It is made of high-quality silicone insulation for high temperature resistance. With 4.0mm thickness, it has several card slots for placing various tools. The storage groove has magnetic adsorption, where small screws can be placed to prevent loss.









Magnetic adsorption

Heat resistance



**OSCREWDRIVER HEAD STORAGE** 

③SCREWS PLUS MAGNETIC ZONE ④SCREW POSITION


**5MOTHERBOARD GROOVE** 

7TOOL PLACEMENT AREA 8MEASURING RULER

**2COVER STORAGE BOX** 

**©SCREWDRIVER PLACEMENT AREA** 

## PRODUCT SIZE



# Thin to 4.00mm It can resist 500°C high temperature

