

HIGH TRANSMISSION


# Dolphin clip test leads



# Product Usage



<b>Model</b>	BST-030-JP
<b>Safety Ratings</b>	2000V 20A
<b>Material</b>	silicone + copper
<b>Wire length</b>	41inch / 104cm
<b>G.W.</b>	58.9g
<b>Package Size</b>	200*120mm



## Wire Specifications

### Conductor:

Specs	18AWG
Structure	168/0.08AS
Diameter	1.35MM
Length of lay	25MM

### Insulating layer:

Thickness	0.6MM
Diameter	2.6±0.05MM
Material	Silicone

### Covering layer:


Thickness	0.6MM
Diameter	3.5±0.1MM
Material	Silicone


**resistant to both heat and cold**  
Long service life





Dolphin clip, Strong bite force  
The spring in bold, Not easy to fall off, Welding is firm





BST-030-JP



Poor quality clip wire

Non-oxidation / Long service life

Easy to oxidize / Short service life

Anti-freezing and anti-heat / Not easy to break

Not freeze-proof and heat-proof/easy to break

Good conductivity

Poor conductivity

It doesn't get hot/ Not hot / Safe usage

Easy to get hot/Safety hazard



---

Insulating silicone,  
Won't leak



Environment-friendly soft silicone



Not easy to break, good toughness



Fast transmission, steady current,  
168pcs of copper wire





# Product List

**Soft Silicone-- heat and cold resistance**



G.W.:58.9g



200mm

120mm