

Features

□□□□□□/□□

□□□□precisinblabe□□□□□□□□□□□□□□

2.□□□□□□□□□□□□□□□□□□□□

□□□fulcum□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

Application

□□□□□□□□□□□□□□□□□□□□

- 1.□□□□□□
- 2.□IC□□□□□□□□□□
- 3.□□□□□□
- 4.□□□□□□□□□□□□□□
- 5.□□□□□□
6. D.I.Y□□□□□□□□□□

Specification

□□	□□□□□□
□□	60□□□
□□	□□□□□□□□□□
□□□□	□□□□
□□□□	PVC
□□	□□□□□□□□□□□□□□
□□	□□□□□□+□□□□□□
□□□□	OEM□ODM□□□□□□□□□□□□□□□□□□
□□□□	□□□□□□□□□□□□

PRODUCT DISPLAY



PRODUCT SIZE




PRODUCT DETAILS



Front



Back side



User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

WEIGHT:80G



218MM

FRONT

95MM



BACK