

1. 100% LED 测试
2. 100% 老化测试
3. 100% 亮度测试
4. 100% 色温测试
5. 100% 100°C 高温测试
6. 100% 电压测试
7. 100% 电流测试

□□□

□□□□□□ PCB □ IC SMT □ SMD □□□□□□

Specification


□□□□	
□□□□	□□220V±10%50Hz
□□□□	720□W±10%
□□□□	100°C□450°C
□□□□	□□□□□□/□□
□□	120L /□□□□□□
□□□□	±2°C □□□□
□□□□	□□□□
□□	LED □□
□□□□□□	□□□□
□□	□□ 45□□
□□□□	5□□□8□□□10mm
□□□□	□□□□□□
□□□□ □□	
□□□□	AC 26V±10%50Hz
□□□□	40W±10%
□□□□	200°C□480°C
□□□□	±2°C □□□□
□□□□	□□□□
□□	LED □□
□□□□□□	□□□□
□□□□□□	<2Ω
□□□□□□	<2mV□
□□	BST900 - M-T-□
□□□□	□□□□□□

2 in 1 digital display lead-free helical wind hot air soldering station

Appliance Repair



Board soldering



Phone Repair



Heat shrinkable tube



PRODUCT SIZE




PRODUCT DETAILS





PRODUCT FEATURES



Brand:		Name:	2 in 1 digital heat gun rework station
Model:	BST-898D+	Rated voltage:	AC 110/220V 50/60HZ
Rated power:	720W	Airflow:	120L/min (Max)
Air gun temperature range:		100 ° C - 450 ° C	
Soldering iron temperature range:		200 ° C - 480 ° C	
Weight(including packaging):	2.75KG	Size:	Packing: L265*W170*H145mm
			Machine: L98*W140*H132mm
Accessories:	898D+, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter		
Features:	1. 1. LED air gun temperature display and soldering iron temperature display, temperature is accurate and stable, clearly visible		
	2.Imported ceramic heating core, the handle is made of high temperature resistant silicone wire.		
	3. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly.		
	4. High power, fast heating, anti-static, temperature adjustable		



Imported ceramic heating core, the handle is made of high temperature resistant silicone wire.




200°C~480°C

Rapid temperature rise
durable Intelligent, put back on the
bracket to automatically cool down



Pure copper transformer





PRODUCT PACKAGING

 <p>Package: 265*170*145mm</p>	 <p>BST-898D+</p>	 <p>Power cable</p>
 <p>Soldering Iron frame</p>	 <p>Soldering Iron</p>	<p>Starter </p> <p>Wrench </p> <p>Wind gun nozzle 5, 8, 10mm </p>