


| | |
|-----------|--|
| Merkmal1: | Temperaturüberwachung 100 ° C-450 ° C |
| Feature2: | Bürstenloses Luftgebläse und weicher Luftstrom |
| Feature3: | Fabrikpreis, Trade Assurance Lieferant |
| Merkmal4: | Akzeptieren kleine bestellung und OEM auftrag |

Verwendungszweck

| |
|---|
| 1.Geeignet zum Entlöten mehrerer Komponenten wie SOIC, CHIP, QFP, PLCC und BGA etc |
| 2.Applicable für das Schrumpfen, das Erhitzen, das Entlacken, das Auftauen, das Vorhüllen und das Gummilöten etc. |

PRODUCT DISPLAY

Lead-free spiral heat gun



PRODUCT FEATURES



Front




Behind

| | | | |
|------------------------------|--|-------------------|---------------------------|
| Brand: |  | Name: | Lead-free spiral heat gun |
| Model: | BST-858+ | Rated voltage: | AC 110/220V 50/60HZ |
| Rated power: | 650W | Airflow: | 120L/min (Max) |
| Air gun temperature range: | | 100 ° C - 480 ° C | |
| Weight(including packaging): | 1.7KG | Size: | Packing: L265*W170*H145mm |
| | | | Machine: L100*W148*H133mm |
| Accessories: | 858D, wind gun nozzle 5, 8, 10 mm, power cord, air gun handle, wrench, starter | | |
| Features: | 1. Knob accurately adjusts air gun temperature and air volume | | |
| | 2. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly. | | |
| | 3. High power, fast heating, anti-static, temperature adjustable | | |


PRODUCT SIZE



PRODUCT DETAILS



Pure copper transformer



PRODUCT PACKAGING



Package:
265*170*145mm



BST-858+



Power cable



Wind gun nozzle
5, 8, 10mm



Wrench



Starter