

BEST-898D 2-in-1-Heißluft-LED-Anzeige BGA-Überarbeitungsstation

Produktbeschreibung

1. Praktisches tragbares tragbares Gerät und digitale LED-Anzeige.
2. Mikrocomputersteuerung, schnelles Aufheizen.
3. Passen Sie die Rotation von Luftstrom und Temperatur an.
4. Beachten Sie die mit den Ersatzteilen für die drei Düsen (groß, mittel und klein) gelieferten Anweisungen.
5. Wenn der Widerstandswert nicht korrekt ist, wird das Teil ersetzt.
6. Wenn die Temperatur unter 70 ° C liegt, kann die Rotation automatisch angehalten werden.
7. Intelligentes System, automatischer Alarm, Fehlererkennung.
8. Dieses Produkt verfügt über ESD-Schutz.
9. Hohe Qualität und langanhaltender Widerstand
10. Das Außengehäuse besteht aus Legierungsmaterial und sieht gut aus.
11. Sichern Sie Schweißer QFP, PLCC, BGA und andere hitzeempfindliche Komponenten.
12. Intelligente Erkennung und Kaltluftfunktion.
13. Grüne Linien und hochwertige Silikonkörperwärme verlängern die Lebensdauer und sparen Strom.

Die Verpackung beinhaltet


898D, 5, 8, 10mm Windpistolen-Düse, Schweißerrahmen, Netzkabel, Luftpistolengriff, Schweißergriff, Schlüssel, Starter

2 in 1 digital display lead-free helical wind hot air soldering station

Appliance Repair



Board soldering



Phone Repair



Heat shrinkable tube



PRODUCT SIZE



PRODUCT DETAILS





PRODUCT FEATURES



Brand:		Name:	2 in 1 digital heat gun rework station	
Model:	BST-898D	Rated voltage:	AC 110/220V 50/60HZ	
Rated power:	700W	Airflow:	120L/min (Max)	
Air gun temperature range:		100 ° C - 450 ° C		
Soldering iron temperature range:		200 ° C - 480 ° C		
Weight(including packaging):	2.75KG	Size:	Packing:	L265*W170*H145mm
			Machine:	L98*W140*H132mm
Accessories:	898D, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter			
Features:	1. LED air gun temperature display and soldering iron temperature display, temperature is accurate and stable, clearly visible			
	2. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly.			
	3. High power, fast heating, anti-static, temperature adjustable			




Two LED screen displays

The temperature is accurate and stable,
clearly visible

Rapid temperature rise
durable Intelligent, put back on the
bracket to automatically cool down



Pure copper transformer





PRODUCT PACKAGING

 <p>Package: 265*170*145mm</p>	 <p>BST-898D</p>	 <p>Power cable</p>
 <p>Soldering Iron frame</p>	 <p>Soldering Iron</p>	<p>Starter </p> <p>Wrench </p> <p>Wind gun nozzle 5, 8, 10mm </p>