ture:

☐ 2 in 1 Digitalanzeige bleifreie Lötstation Heißluft
☐ Temperaturregelung 100 ° C-480 ° C
☐ Bürstenloses Gebläse und weicher Luftstrom
☐ Fabrikpreis
☐ Nehmen Sie kleinen Auftrag und Soem-Auftrag an


Verwendungszweck:

- 1.Geeignet zum Entlöten mehrerer Komponenten wie SOIC, CHIP, QFP, PLCC und BGA etc
- 2.Applicable für das Schrumpfen, das Erhitzen, das Entlacken, das Auftauen, das Vorhüllen und das Gummilöten etc.

Spezifikation:

Modell 878D
Nennspannung AC110V / 220V 50Hz / 60Hz
Leistungsaufnahme 700W / 40W
Luftart Bürstenloses Gebläse / weicher Luftstrom
Temperaturbereich 100 ° C-480 ° C
Luftvolumenstrom 120 l / min (max)
innere verpackung größe (cm) 26 * 16.5 * 15
Menge / Karton 8 Einheiten
GW / Karton (kg) 22
Kartongröße (cm) 58 * 37 * 34

2 in 1 digital display lead-free helical wind hot air soldering station










PRODUCT FEATURES



Brand:		BEIT		Name:		2 in 1 digital heat gun rework station
Model:		BST-878D		Rated voltage:		AC 110/220V 50/60HZ
Rated power:		700W/40W		Airflow:		120L/min (Max)
Air gun temperature range:			100 ° C - 480 ° C			
Soldering iron temperature range:			200 ° C - 480 ° C			
Weight(including packaging): 2.65KG		0:	Packing:	L265*W170*H145mm		
		kaging):	2.65KG	Size:	Machine:	L98*W140*H132mm
Accessories:	es: 878D, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter					
Features:	1. LED temperature display, temperature is accurate and stable, clearly visible					
2. When the air gun is placed on the bracket, it will automatically enter the co						
	and cooling standby. When the air gun is picked up, it will heat up quickly.					
	3. High power, fast heating, anti-static, temperature adjustable					





PRODUCT PACKAGING











