

Features

1. Die Seitenschneider sind aus Cr-V-Stahl gefertigt und können für schwere Arbeiten verwendet werden.
2. Hochfrequenz-gehärtete Präzisionsschneiden, Härte HRC54-62
3. Zweifarbiges PVC-Griff mit Fingerschutz
4. 4,5 "Größe
5. Erfüllt oder übertrifft die CE-Normen

Specification

Modell:	BEST-4 Seitenschneider
Material:	Cr-V-Stahl + PVC-Griff beschichtet
Wärmebehandlung:	Keine Versauerung 42-50HRC für Körper Hochfrequenz 54-62HRC für Klinge
Oberflächenbehandlung:	Rostschutzöl
Größe:	135 mm
Paket:	12pcs / box
N.W.	101 g / Stück
G.W .:	1.42kg / box

Application

Die diagonalen Schneidzangen werden häufig zum Schneiden von verschiedenen Arten von dünnen Draht, Bleidraht, weichen Draht, Leiterplatte, Kunststoff-Restmaterial, wie z

- Schaltkastenverdrahtung von Industrieroboter.
- IC-Leiterplatten und Computer-Verdrahtungen
- Elektronische Haushaltsgeräte.
- Radio und andere Telefon- und Telegrammleitungen.
- Stromkreis des Automobils.
- Andere Präzisionsverdrahtungen für D.I.Y.-Artikel.

PRODUCT DISPLAY



PRODUCT SIZE

Material:high quality alloy steel(60CR-V)

Process:using repeated forging,the surface is polished after grinding and processing by precision machining

Hardness:the overall hardness is HRC38-42 the blade hardness is HRC56-62

Shear capacity:HRC20 below

Hard wire $\Phi 1.5\text{mm}$

soft copper wire,aluminum wire $\Phi 0.1-2.0\text{mm}$




PRODUCT DETAILS



Front



Back side



User manual

Warning

This model is not insulated tools. Please use it when power off.

Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING


WEIGHT:82G



180MM

FRONT

75MM



BACK