

Eigenschaften

- Multifunktions-Abisolierzange für Kabel, Abisolieren und Schneiden
- Anders als herkömmliche Abisolierzangen garantieren hochkohlenstoffhaltige legierte Stähle eine längere Lebensdauer mit einer solch genauen Abisolierung.
- Percise Crimpzange Sets und Integralschloss mit selbstlösend Mechanismus sorgt für hochwertigen Cimping-Effekt nach dem Crimpen wiederholt

Spezifikation

Name:	Abisolierzange
Modell:	BST-1042
Material:	42 #Stahl + PVC-Griff beschichtet
Wärmebehandlung:	Net Heizung Behandlung
Abisolierdraht anordnen:	0,2-1,25mm ²
Funktion :	Strippen, Schneiden
N.W.	120g / Stück
Verpackung	Blister + Kartenpaket, 10pcs / box
G.W.	2.6kg / Karton

Anwendung

Anwendbar auf unterschiedliche Arten von dünnen Draht, Leiterplatte, Kunststoff leefover Material.

Schaltkastenverdrahtung von Industrieroboter.

I, C Leiterplatte und Computerleitungen

Elektronische Haushaltsgeräte.

Radio und andere Telefon- und Telegrammleitungen.

Stromkreis des Automobils.

Andere Präzisionsverdrahtungen für D.I.Y.-Artikel.

PRODUCT DISPLAY



Technical drawing of the BST-1042 crimping tool, showing dimensions in millimeters (mm):

- Overall length: 169mm
- Head width: 35mm
- Head height: 50mm
- Head width (lower): 42mm
- Head height (lower): 77mm
- Head width (base): 75mm

PRODUCT DETAILS



User manual



Warning

This model is not insulated tools. Please use it when power off.



Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH




PRODUCT PACKAGING

WEIGHT:147G



FRONT

215MM



BACK