

HIGH TRANSMISSION


Superconducting alligator clip



Product Usage



Model	BST-010-JP
Safety Ratings	CAT III 2000V 20A
Material	The silicone + copper
Wire length	41inch / 104cm
G.W.	58.9g
Package Size	200*120mm



Wire Specifications

Conductor:

Specs	18AWG
Structure	168/0.08AS
Diameter	1.35MM
Length of lay	25MM

Insulating layer:

Thickness	0.6MM
Diameter	2.6±0.05MM
Material	Silicone

Covering layer:


Thickness	0.6MM
Diameter	3.8±0.1MM
Material	Silicone

Heat resistant to cold

Long service life



Alligator clip, big bite
Thick spring, not fall off, not false





BST-010-JP



Poor quality clip wire

Non-oxidation / Long service life

Easy to oxidize / Short service life

Anti-freeze heat / Not easy to break

No antifreeze heat/easy to break

Good conductivity

Breakable / Not cold and heat resistant

No fever / Not hot / The use of safe

It gets hot easily / Safety hazard



Fully insulated silica gel,
No leakage



Environment-friendly soft silica gel



Not easy to break, good toughness



Fast transmission, steady current,
168 copper wire



Product List

Soft Silicone-- heat and cold resistance



G.W.:58.9g



200mm

120mm