

Features

1. Gebildet von der Qualitäts-Edelstahl
2. Anti-Korrosions- und Anti-Säure
3. Modernste Teile reines manuelles Polieren, gute Verarbeitung
In Hochtemperatur
4. Verarbeitet und Colored-Beschichtung
5. Tipp ist immer noch super gerade nach einer langen Zeit

Specification

M
a
e
e
l
a
t
a
h
l
-
M
a
g
h
e
t
i
s
m
u
s
:
O
b
e
r
t
r
ä
b
a
d
b
e
h
e
n
d
l
u
n
g
:

V
P
r
c
p
a
c
k
u
n
g
:
G
e
w
i
c
h
t
/
K
a
r
t
o
n
:
B
A
Ö
B
E
N
E
A
B
D
M
(
L
*
W
*
H
)

EN
R
O
B
E
R
T
K
E
N
(
T
O
W
S
H
)
B
E
W
R
K
G
t
d
e
s
K
a
r
t
o
n
s
:

Description



| | | | |
|-------------------|--|------------------|----------|
| Catalogy: | Color coated Tweezer | Model: | BST-158A |
| Material: | 202stainless steel | Brand: | BEST |
| Magnetism: | Non | Strength: | >HRC40° |
| Size: | 117.4mm | Weight: | 25.2g |
| Feature1: | Anti-magnetic,anti-acid,hard,excellent toughness | | |
| Feature2: | Surface by fine polishing, plating color | | |
| Featuer3: | Side handle is polished ,bright colors and easy to use | | |
| Feature4: | Suitable for PCB semiconductor, photovoltaicand other | | |

Picture

Side



Side



Top



Top



Local



Pack



- BT006 SD-210 40mm (1.57in)
Avg. strain (120mm)
- BT008 SD-211 40mm (1.57in)
Economy fine tip straight (140mm)
- BT002 SD-212 40mm (1.57in)
Fine tip straight (150mm)
- BT003 SD-213 40mm (1.57in)
Super fine tip straight (120mm)
- BT041 SD-214 40mm (1.57in)
Super fine tip straight (120mm)
- BT005 SD-215 40mm (1.57in)
Fine tip curved (120mm)

Precautions for use

The tweezers are made of metal and have sharp tips. Do not misuse them. Handle them in any way that may cause injury or damage.

When using any electrical appliance, always be sure to first unplug the appliance in order to prevent electrical shock. Do not use the tweezers on applications which are beyond the tweezers' working limit. Doing so may break the tips of the tweezers.

Description

| | |
|---------------------|-----------------------|
| Category: | Color coated Tweezer |
| Model: | BST-158A |
| Material: | 202Stainless steel |
| Magnetism: | Non |
| Surface treatment: | Paint |
| Tip strength: | >HRC40° |
| Length: | 117.4mm |
| Weight: | 25.2g(with package) |
| Packing: | 20pc/box |
| Weight/box: | 584g |
| Size of box: | 204*163*45 (L*W*H) |
| Size of carton: | 500*340*430mm (L*W*H) |
| Quantity of carton: | 840pcs |
| Weight of carton: | 22.2kg |