

Herramientas de reparación del teléfono móvil BEST-053


Cable de datos de alimentación

Descripción del producto


feature1	Cable de prueba de corriente de potencia profesional
feature2	Adecuado para teléfono móvil, tabletas y electrónica.
feature3	Salida de polos positivos y negativos (o entrada)
característica 4	Alambre hecho de material de alta calidad, fácil de dividir
característica 5	Entre cada línea hay una barrera efectiva negativa para evitar el cortocircuito de la línea de contacto


PRODUCT DISPLAY

Apple boot power cord




PRODUCT SIZE



Brand:	 BEST 倍思特	Model:	BST-053	Weight:	285g
Box material:	ABS+PC, built-in Taiwan chip				
Input voltage:	4.2-4.8V	Output current:	0-3A		
Packing:	plastic storage box	Packing size:	215*100*40mm		
Uses:	iPhone6 4.7 5.5, iPhone6s 4.7 5.5, iPhone7 4.7 5.5, iPhone8 4.7 5.5 (support upgrade), iPhoneX (support upgrade)				
Features:	<p>1. One-button single board trigger function, can open 6 mobile phones at the same time.</p> <p>2. LED accurately shows current, voltage, and clarity</p>				

PRODUCT DETAILS



POWER **4.62** V CURRENT **0.00** A

BEST 倍思特 **BST-053** TEST CABLE

KB-LK ON/OFF RESET START

Power ON/OFF

Start boot

Power interface "-"

Power interface "+"

WARNING
The input voltage must not be higher than 4.8V or lower than 4.2V, otherwise the external output equipment will not work properly or burn out.
注意：输入电压不能高于4.8V或低于4.2V，否则将导致外接输出端不能正常工作或烧毁。

PRODUCT PHOTOGRAPH

