

## **Especificación**

**Material:** Acero de aleación de alta calidad (60CR-V)

**Proceso:** Usando el forjado repetido, la superficie se pule después de la molienda y el procesamiento por máquina de precisión

**Dureza:** La dureza superior es HRC 38 ~ 42

La dureza de la cuchilla HRC56 ~ 62


**Capacidad de corte:** HRC20 a continuación

Cable duro: diámetro 1.5mm


Alambre de cobre suave, diámetro del alambre de aluminio 0.1 ~ 2.0mm

PRODUCT DISPLAY

---



PRODUCT SIZE




## PRODUCT DETAILS



Front



Back side



### User manual

#### Warning

This model is not insulated tools. Please use it when power off.


#### Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

## PRODUCT PHOTOGRAPH



Range:  
HRC20 below: hard wire  $\phi$ 1.5mm, copper wire or aluminum wire  $\phi$ 0.1-2.0mm.



# PRODUCT PACKAGING

WEIGHT:87G



FRONT

179MM



75MM

BACK