

Nombre: Herramientas de parcheo de cables de salto 3 en 1

Modelo: BST-66

Junta de soldadura de almohadilla: 2635 piezas/hoja

Longitud de la aguja: 100 mm

Diámetro de la punta de la aguja: 0,01 mm

Tamaño del paquete: 61*115*13mm

Peso bruto: 30,7 g.

Sharpness 0.01mm
Scraper needle Patch pad

Three-piece suit

PCB drop pad | Scrape, clear glue



Product Usage





Name	Three-piece pad + batch pin
Model	BST-66
Material	Handle: ABS Needle: stainless steel
Needle length	100mm
Needle tip diameter	0.01mm
Pad solder joint	2635 pcs/sheet
Land size	48 * 67mm
Package dimensions	61 * 115 * 13mm
G.W.	30.7g


Variety of solder tab shapes, many different specifications




Can adapt to different sizes of welding chassis on mobile phone motherboards



Needle tip diameter up to 0.01 mm
Can adapt to occasions requiring fine operation



Product Pictures




Application atmosphere




Remove residual glue

Repair point



Leather opening

Deep cleaning



Deep cleaning

Patchwork turn corner




OPERATION



Replace the traditional maintenance fly line

No trace of repair

Before repair → After repair



Product Dimension

G.W.:30.7g

