

# 2 IN 1

DIGITAL DISPLAY


HOT AIR GUN SOLDERING STATION

Rapid temperature rise

ACCURATE TEMPERATURE CONTROL



# Four characteristics



Automatic sleep



Exact temperature



Heat up quickly



ceramic heating element

# Scope of use



Simultaneous use of hot air gun and soldering station



rapid heating  
Durable and smart





## HEAT GUN

100°C~450°C

SOLDERING STATIONS

200°C~480°C



# Product Description



Front



Behind

# Product parameters



|                               |                  |
|-------------------------------|------------------|
| Model                         | SLD-852AD+       |
| Product name                  | Hot air station  |
| Power                         | 600w             |
| Weight                        | 5kg              |
| Input voltage                 | 220VAC 50/60Hz   |
| heat gun temperature          | 100°C ~ 450°C    |
| Soldering station temperature | 200°C ~ 480°C    |
| Airflow                       | ≈160cm/s         |
| Air volume gear               | A25~A99          |
| ambient temperature           | 0°C ~40°C        |
| Machine size                  | L185*W245*H125mm |
| Package Size                  | L265*W165*H155mm |





205mm

275mm

340mm

**SMD REWORK STATION**

**SMD REWORK STATION**

**ESD SAFE**

**ESD SAFE**

Solnde 852AD+

CE

MADE IN CHINA

