caractéristique1	Adoptez le capteur en boucle fermée, contrôle de la température par micro-ordinateur, affichage à LED
caractéristique2	Puissance élevée, chauffage rapide, température précise et stable
caractéristique3	Le flux d'air est réglable, le vent est lourd mais doux
feature4	Le système commence à fonctionner rapidement uniquement en tenant la poignée. Placez la poignée sur le cadre, le système se mettra à l'état de veille d'économie d'énergie.Convenient pour un fonctionnement en temps réel
feature5	Système de refroidissement intelligent. Lorsque la température descend jusqu'à 100 ° C, il passe à un état d'économie d'énergie qui peut prolonger la durée de vie de l'élément chauffant et protéger le pistolet à air chaud
caractéristique6	Adoptez un design de petite croûte, il est durable et beau, occupez peu de place. Souffleur sans balai avec une longue durée de vie et peu de bruit
feature7	Le fer à souder chauffe rapidement et peut revenir à la température rapidement, ce qui est bon pour le soudage sans plomb

Paremeter

A
V
E
1
L
2
u
V
x
/
d
n
a
a
L
D
M
d
a
o
x
u
b
x
H
z

É
q
u
i
p
e
m
e
n
t
d
e
s
o
u
d
u
r
e

Consommation d'énergie électrique

Élément chauffant 24V AC

Écrans LCD

2 in 1 digital display lead-free helical wind hot air soldering station



PRODUCT SIZE

PRODUCT DETAILS

Brand:	BEST	Name:		2 in 1 digital heat gun rework station
Model:	BST-898D+	Rated voltage:		AC 110/220V 50/60HZ
Rated power:	720W	Airflow:		120L/min (Max)
Air gun temperature range:		100 ° C - 450 ° C		
Soldering iron temperature range:		200 ° C - 480 ° C		
Weight(including packaging):	2.75KG	Size:	Packing:	L265*W170*H145mm
			Machine:	L98*W140*H132mm
Accessories:	898D+, wind gun nozzle 5, 8, 10mm, soldering iron frame, power cord, air gun handle, soldering iron handle, wrench, starter			
Features:	1. 1. LED air gun temperature display and soldering iron temperature display, temperature is accurate and stable, clearly visible			
	2.Imported ceramic heating core, the handle is made of high temperature resistant silicone wire.			
	3. When the air gun is placed on the bracket, it will automatically enter the cooling and cooling standby. When the air gun is picked up, it will heat up quickly.			
	4. High power, fast heating, anti-static, temperature adjustable			


Pure copper transformer

PRODUCT PACKAGING

Package:
265*170*145mm

BST-898D+

Power cable

Soldering Iron frame

Soldering Iron

Starter

Wrench

Wind gun nozzle 5, 8, 10mm