

spécification

Matériel: Acier allié de haute qualité (60CR-V)

Processus: En utilisant un forgeage répété, la surface est polie après broyage et traitement par machine de précision

Dureté: La sur toute la dureté est HRC 38 ~ 42

La dureté de la lame HRC56 ~ 62

Capacité de cisaillement: HRC20 ci-dessous


Fil dur: diamètre 1.5mm

Fil de cuivre mou, diamètre de fil d'aluminium 0.1 ~ 2.0mm

PRODUCT DISPLAY



PRODUCT SIZE




PRODUCT DETAILS



Front



Back side



User manual



Warning

This model is not insulated tools. Please use it when power off.



Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.

PRODUCT PHOTOGRAPH



PRODUCT PACKAGING

WEIGHT:87G



179MM

FRONT



75MM

BACK