

multifunctional Charger



Shanba No.1 multifunctional 8-port visual charger

Multiple USB ports for fast charging, inspection and maintenance



Product Features

...

Extremely fast charging
multifunctional detection and maintenance



Extreme
fast charging



Large screen
color display



Mobile phone
startup voltage
and current detection



Voltage and current
Power, time, and quantity
take in everything in a glance



short circuit
Overcurrent
Overvoltage protection



Multiport output



Data line detection



15W wireless fast charging



Multiple security protection



Voltage stabilization
protection



Overcharge
protect



short circuit
protect



Overheat
protection



Overrelease
protect



Leakage
protection



Overvoltage
protection



Overcurrent
protection

Press and hold the red button for 6 seconds to enter the backlight sleep setting

After entering the backlight setting, adjust and press the red button to set the backlight sleep (On/Off)

Press and hold the red button for 1 second after completion to complete the setting



multifunctional Charger



Flashing sign One glance positioning

The device has 6 high current charging ports,
1 QC fast charging port,
1 PD20W Applefast charging port,
a total of 8 charging ports,
and 1 wireless charging port



port voltage current power

A	5.21V	0.00A	0.00W
B	5.21V	0.00A	0.00W
C	5.21V	0.00A	0.00W
D	5.21V	0.00A	0.00W
E	5.21V	0.00A	0.00W
F	5.21V	0.00A	0.00W
PD	5.13V	0.00A	0.00W
QC	5.15V	0.00A	0.00W



multifunctional Charger



Multi port fast charging Fast full charge

Can charge all phones/desk lights
Small fan/flashlight/power bank
Devices etc. with USB interfaces



multifunctional Charger



Detachable power cord
Suitable for various environments and plugins

Power socket with built-in fuse
High safety and strong stability
Adapt to global 100V-240V voltage



multifunctional Charger



Bold coil Faster charging

Increase speed by 60%, high-speed
15W Charging Fast One Step



wireless charge



multifunctional Charger



15W wireless charging Farewell to charging cable

Unlimited charging,
constantly charged phone



multifunctional Charger



energy saving Sleep flexible and adjustable



Brightness and sleep flexibility can be set
Save energy and electricity for you

Long press and hold the red button key 3 seconds to enter backlight setting

Adjust the red button after entering the backlight setting
Set backlight brightness based on Adjust your comfort
level 1-10 levels, protecting your eyes.

Press and hold the red button for 1 second after
completion to complete the setting



multifunctional Charger



Multiple protection Safer and more secure

8-fold protection for your digital security



multifunctional Charger



Heat dissipation without overheating Good heat dissipation channel

Good heat dissipation channel
Effectively reducing heat
Ensure safe charging of mobile phones



multifunctional Charger



Family equipment One is enough

Perfect support for Apple, Huawei
Samsung and other mobile phones fast charging
Support for PD/QC/FCP/SCP/AFC
Multiple fast charging protocols



multifunctional Charger



High-end customization Apple phone fast charging

Specially designed for Apple phones
High-end customization, fast charging



multifunctional Charger



Exquisite and compact Portable

Real time display of color screen
Clear view of charging status




multifunctional Charger



LCD1.8 inch large color screen displays magnificence and brilliance

Real time display with color screen
Clear view of charging status



Data Details



multifunctional Charger



Charging without queuing Simultaneous charging of multiple phones

Multiple phones
Simultaneously charging at high speeds
Charging without queuing




multifunctional Charger



Care with "core" 32-bit high-speed chip

32-bit high-speed chip collect Voltage,
current, power, time, quantity of electricity data



Product parameters

B r a n d : BEST

M o d e l : BST-S1

Input voltage: 110V~220V

Output voltage: 5V~12V

Maximum current: 13A

maximum power: 65W

Port maximum
voltage: 12V

Single port
maximum current: 5A

V o l u m e : 98×88×54mm

W e i g h t : 280g
