

BST-495 3 couches filtre d'échappement industriel Purifing Instrument à souder fumées fumées extracteur pour machine de séparation laser

Description du produit

- 1. Absorbe et élimine rapidement les gaz toxiques libérés lors du soudage.
- 2. Packs de filtres à air uniques posés en lacet avec une résistance à l'air minimale, une puissance d'aspiration plus élevée qui assure un excellent environnement de travail.

spécification

Entrée de puissance :	110V / 220V
Type de moteur:	Brosse autocopiante
Matériel:	Plastique ABS
Poids:	1,45 kg
Emballage:	6 ensembles un carton
Taille du carton:	53 * 28 * 62 cm
Poids du carton (G.W.)	11kg

Aperçu des produits

Product Usage



MODEL	BST-495
POWER	150W
OUTPUT VOLTAGE	ac220v-110v
WEIGHT	15kg
BODY SIZE	285 * 245 * 345mm

▼ CHARACTERISTICS

This smoker has three layers of filter, which is used in various fields with too much smoke. The volume of smoke can be adjusted freely, the power is large, and the service life is long


PRODUCT INFORMATION

ACTIVATED CARBON FILTRATION


WELDING PURIFICATION



APPLICABLE TO VARIOUS FIELDS



DC brushless motor, stable performance, long life



Brushless Motor



Eliminate smoke and odor



long life



Power saving

MULTI-LAYER FILTRATION



Filtering PM60



Filtering PM0.3



Filtering smoke



PRODUCT SIZE



Operation instructions

Turn on the power switch (such as P1), adjust the speed control knob to make the machine work according to the required air volume, and turn the knob to "off" to stop the machine, Turn to "on" position to start, turn to "Max" position to reach the maximum value (such as P2)




【P1】



【P2】

FILTER INSTALLATION INSTRUCTIONS



ACCESSORIES DISPLAY



① Fuselage



② 1.45M smoke pipe



③ Power line



④ high efficiency filter element



⑤ medium efficiency filter element



⑥ primary filter cotton