

## Features

1. Idéal pour les travaux spatiaux étroits
2. La taille différente est disponible
3. La qualité différente peut être customizd selon la demande des clients.

## Specification

Modèle:	BEST-13 coupe-nez long
Matériel:	Acier au carbone + poignée en PVC enduit
Traitement thermique:	Aucune acidification 42-50HRC pour le corps Haute fréquence 54-62HRC pour lame
Traitement de surface:	huile antirouille
Taille:	135mm
Paquet:	12 pcs / boîte
N.W.	101g / pc
G.W .:	1,42 kg / boîte

## PRODUCT DISPLAY



## PRODUCT SIZE

**Name:** Needle-nose pliers

**Model:** BST-13

**Material:** 60CR-V

**Brand:** BEST

**Hardness:** HRC38-42


**Blade Hardness:** HRC56-62

**Size:** 125mm

**Range:** HRC20

**below:** hard wire  $\Phi$ 1.5mm,  
copper wire or aluminum  
wire  $\Phi$ 0.1-2.0mm

**Process:** using repeated  
forging, the surface is  
polished after grinding  
and processing by  
precision machining.



## PRODUCT DETAILS

---




### **Cutting range**

- ✓ HRC20 below: hard wire $\Phi$ 1.5mm, copper wire or aluminum wire $\Phi$ 0.1-2.0mm
- ✓ Made of high quality alloy steel CR-V
- ✓ For family, electronic maintenance, manufacturing and other industries

## PRODUCT PHOTOGRAPH

---





## User manual

### Warning

This model is not insulated tools. Please use it when power off.

### Attention

- To protect user safe, please use protective glasses.
- As the cut material will fly out, make sure no one beside you and no easy damaged things beside you, then begin working.
- This product is not a dedicated pressure equipment.
- When stored, please assure the blade at the closed state and can not be touched by children.
- Do not let the plier tip rub something.
- Please do not directly touch the blade part with hand.
- Do not use in cutting hard materials and steel wire, etc.
- Do not use the pliers above its cutting capability and coarse wire.


PRODUCT PACKAGING

WEIGHT:90G



180mm

FRONT



75mm

产品描述 FEATURE

使用材质: 严格精选优质合金钢(60CR-V)  
 工艺: 采用反复锻造工艺, 精密机械加工后, 表面  
 经机磨加工后抛光  
 产品硬度: 整体硬度HRC38-42  
 刃口硬度HRC56-62  
 剪切能力: HRC20度以下  
 硬铁线 Φ1.5mm  
 软铜线、铝线 Φ0.1-2.0mm  
 Material: high quality alloy steel (60CR-V)  
 Process: using repeated forging, the surface is polished after  
 grinding and processing by precision machining.  
 Hardness: the overall hardness is HRC38-42  
 the blade hardness is HRC56-62  
 Shear capacity: HRC20 below  
 Hard wire Φ1.5mm  
 soft copper wire, aluminum wire Φ0.1-2.0mm

MADE IN CHINA

FRONT