


# PRODUCT DISPLAY




PRODUCT SIZE



# PRODUCT DETAILS







*Integrated motherboard  
(reducing the number of  
multi-line connected  
together, performance has  
greatly improved in all  
aspects) Model and model  
unified motherboard  
(BST brand)*



*Large transformer:  
IE6636 transformer,  
pure copper cable,  
the performance of  
output voltage stability.*



## Rated working conditions

voltage	220v ± 10%
working environment	-10 °C ~ 40 °C Relative humidity: <90%
Storage environment	-20 °C ~ 40 °C Relative humidity: <80%
Corrugated factor	<= 0.5mvrs (5Hz-1MHz) Iomax> 1A
Features	Short circuit protection / overload protection / alarm function / automatic recovery

## Regulated working conditions

Power stability	<=0.01% + 2mV
Load stability	<=0.01% + 2mV (I <sub>max</sub> <1A)
Recovery Time	<=100us (maximum current <=5A)

## Specifications

model	PS-1505T
Body weight	3.2KG
Dimensions	140MM*225MM*200MM
Voltage and current	0-15V/0-5A
Features	Short circuit protection, automatic recovery, voltage test
Overload protection current	2A
Voltage display accuracy	0.1V
Current display accuracy	0.01MA
Short circuit and overload protection alarm function	Have

## PRODUCT PACKAGING



01: Mainframe maintenance power + power cord  
03: Chinese and English manual

02: 5A clip line  
04: BEST brand packaging