HIGH TRANSMISSION

Alligator clips test leads

Product Usage

Model	BST-010-JP
Safety Ratings	CAT III 2000V 20A
Material	silicone + copper
Wire length	41inch / 104cm
G.W.	58.9g
Package Size	200*120mm



Wire Specifications

Conductor:

Specs	18AWG
Structure	168/0.08AS
Diameter	1.35MM
Length of lay	25MM

Insulating layer:

Thickness	0.6MM
Diameter	2.6±0.05MM
Material	Silicone

Covering layer:

Thickness	0.6MM
Diameter	3.8±0.1MM
Material	Silicone

PRODUCT INFORMATION

Alligator clip, Strong bite force

The spring in bold, Not easy to fall off, Welding is firm



BST-010-JP

Poor quality clip wire

Non-oxidation / Long service life	Easy to oxidize / Short service life
Anti-freezing and anti-heat / Not easy to break	Not freeze-proof and heat-proof/easy to break
Good conductivity	Poor conductivity
It doesn't get hot/ Not hot / Safe usage	Easy to get hot/Safety hazard

Insulating silicone,
Won't leak

Environment-friendly soft silicone
Not easy to break, good toughness

Fast transmission, steady current,
168pcs of copper wire

Product List

G.W.:58.9g